

AM4113-N5UT



Observe and document
Overview



Fixed 500x magnification
Examine specimens in great detail with 500x magnification.



Enhanced 1.3 Megapixels
It observes with accurate color reproductions and retain details under low lighting with the optimum resolution for detailed live preview and captured images.



USB 2.0 Interface
Digitize the microscopy experience; allow easy recording and sharing of observations in the office or out in the field with a compatible PC or MAC.




Scroll Lock
Assure the knobs position with the scroll lock



MicroTouch

Under magnification the slightest movement can be a big change. You can use the MicroTouch, a protruding and easy to find touch sensitive trigger on the Dino-Lite that minimizes movement when used for taking pictures.



Model : AM4113-N5UT Dino-Lite Premier

Interface : USB 2.0

Product Resolution : 1.3M pixels (SXGA)

Magnification Rate : 500x

Sensor : Color CMOS

Frame Rate : Up to 30fps

_Save Formats :

+ Image:

DinoCapture2.0: BMP, GIF, PNG, MNG, TIF, TGA, PCX, WBMP, JP2, JPC, JPG, PGX, RAS, PNM

DinoXcope: PNG, JPEG

+ Movie:

DinoCapture2.0: WMV, FLV, SWF

DinoXcope: MOV

Microtouch : Touch sensitive trigger on the microscope for taking pictures

Lighting : 8 white LED lights switched on/off by software

Operating System Supported : Windows 10, 8, 7, Vista, XP;

MAC OS 10.4 or later

Unit Weight : 100g

Unit Dimension : 9.4cm (H) x 3.2cm (D)

Package Dimensions : 16cm (L) x 16cm (W) x 6cm (H)

Gallery



Capillary



Capillary

