




Electric Multi-purpose Pliers


AP-03 for Non-Insulated Terminals



- 5 functions for electrical installation works loaded
 - Non-Insulated terminal crimping (1.25/2.0/5.5mm²) (AWG 16/14/10)
 - Ignition terminal crimping
 - Wire Cutter
 - Bolt Cutter
 - Wire Stripper
 - Comfortable elastomer grips
-

AP-03

Non-insulated Terminals
1.25/2.0/5.5mm²



Ignition Terminals

Wire Cutter

Cutting Capacity: Strand wire cable
5.5mm² /Copper wire Ø 2.0mm/
Soft Iron wire Ø 1.2mm




Bolt Cutter
ISO M2.6/3/5/4/3.5




Wire Stripper

0.75/0.9/1.25/2.0/3.5/5.5mm²



Elastomer Grips

Comfortable soft texture grips
reduce fatigue of hands.



Electric Multi-Purpose Pliers Series


Functions	AP-01	AP-02	AP-03	AP-04	AP-05	AP-06
Faston Terminals (1.25/2.0/5.5mm ²)(AWG 16/14/10)	○	-	-	-	○	○
Non-Insulated Terminals (1.25/2.0/5.5mm ²)(AWG 16/14/10)	○	○	○	-	-	-
Insulated Terminals (1.25/2.0/5.5mm ²)(AWG 16/14/10)	-	○	-	○	-	○
Ignition Terminals	-	-	○	○	○	-
Wire Cutter	○	○	○	○	○	○
Bolt Cutter (ISO M2.6/3/3.5/4/5)	○	○	○	○	○	○
Wire Stripper (φ0.75/0.9/1.25/2.0/3.5/5.5mm)(AWG 18/17/16/14/12/10)	○	○	○	○	○	○

Specifications

Material | Alloy steel

Head hardness [HRC] | 49~55

Handle cover | Elastomeric molded resin grips



	Size(mm)					Weight (g)	EAN code (4952269)
	Whole length	Head width	Tip Thickness	Jaw Thickness	Handle width		
AP-03	223	39	4	15	53	285	113921

Terminals and sizes	Non-Insulated Terminals (1.25/2.0/5.5sq) (AWG 16/14/10)
Cutting capacity	Strand copper wire 5.5mm(AWG 10) / Copper ϕ 2.0mm(AWG 14)/ Soft iron ϕ 1.2mm(AWG 17)

Note: Do not use to cut harder wire or anything above it rated the capacity.